

MODULA Europa ○

**Complete equipment and
optimal storage possibilities**




Image does not show standard equipment

Product description



MODULA Europa – stands for large product variety and individual equipment possibilities. Installed desk, PC workstation, swivel arm or upper shelf for different units – we design and produce the unit to suit your requirements. The MODULA Europa is the optimal size so that not only can all components be optimally placed, but there is also a wide range of storage possibilities to choose from for instruments. You can choose from fully extendable drawers as well as instrument shelves with flat stainless steel trays on up to three levels.



Standard equipment

- High-quality, electrolytically galvanised sheet steel housing
- Stoved enamel antibacterial powder coating in 20 colours
- Mobile unit with stainless steel base, antistatic heavy-duty castors
- Electronic operating and display system: robust, user-friendly glass display with touch-sensitive function keys
- Instrument holder for irrigation, compressed air and suction handles, swivelling
- Integrated rapid mirror warmer, with fan
- 4 fully extendable and soft closing drawers
- Pull-out writing/preparation desk with stainless steel surface
- 3 disinfection quivers for rigid endoscopes with protective silicone adapter
- 2 instrument levels with stainless steel instrument trays
- Indirect illumination for instrument levels
- Acrylic glass instrument cover, sinkable behind the cabinet
- Melamine instrument tray for used instruments with silicone insert
- Waste bin, opening with foot pedal (self-closing)



Image does not show standard equipment

- | | |
|--|---|
| <ul style="list-style-type: none"> 1 Irrigation handle, compressed air sprayer, suction hose 2 Glass display as a display and control element 3 Instrument trays on up to three levels 4 LED or halogen cold light sources 5 Antibacterial tubes with quick connectors 6 Endoscope quivers 7 Upper shelf as expansion of storage possibilities 8 Headlamp holder, switches on/off automatically, height-adjustable and swivelling for cold light headlamps | <ul style="list-style-type: none"> 9 Fully extendable and soft closing drawers 10 Melamine instrument tray 11 Mirror warmer 12 Robust design featuring high-quality materials 13 Waste bin 14 Tongue depressor holder 15 Stainless steel holder for medicament sprayer 16 Ear speculum holder |
|--|---|

Example ENT workstation




Image does not show standard equipment

- | | |
|---|---|
| 1 ENT microscope KAPS Som 22 with an integrated cold light source (15 V / 150 VA) | 4 MODULA 4.SA patient chair with electrical height adjustment and synchronous adjustment of leg support |
| 2 Cold light headlamp | 5 Storage possibility for ENT instruments |
| 3 Rigid endoscopes | |


Example model versions



Electronic operating and display system on the right side




Storage compartment instead of waste bin



120 cm desk extension

Dimensions



Standard colours (antibacterial coating with fine structure):

				
RAL 1001 Beige	RAL 1013 Oyster white	RAL 1028 Melon yellow	RAL 3004 Purple red	RAL 3020 Traffic red
				
RAL 5003 Sapphire blue	RAL 5010 Gentian blue	RAL 5014 Pigeon blue	NEW: Traffic blue	RAL 5018 Turquoise blue
				
RAL 5024 Pastel blue	RAL 6029 Mint green	RAL 6034 Pastel turquoise	RAL 7016 Anthracite grey	RAL 7032 Pebble grey
				
RAL 7035 Light grey	RAL 7044 Silk grey	RAL 7045 Telegrey 1	RAL 9010 Pure white	RAL 9016 Traffic white

The colours shown here may differ from those on the screen or in print

Technical details:

Mains voltage, mains frequency:	230 V (+/-10 %) at 50/60 Hz
Power consumption:	max. 2.3 kVA at 10 A
Classification:	Ila
Protection category:	I
Degree of protection:	B
Motor suction (optional):	Vacuum pump (oil-free, suction capacity 40 l/min at -0.85 bar, 150 VA), electronic and mechanical overflow protection, bacterial filter
Compressed air (optional):	12 l/min at 2,700 rpm and 138 VA, optionally adjustable from 0.2 to 2.5 bar
Ear irrigation with continuous flow heating (optional):	+37° C +/- 1° C, 500 ml/min, max. 1,500 VA (when heating)
Ear irrigation with water heater system (optional):	+37° C +/- 1° C, 500 ml/min, max. 550 VA (when heating)
Water tank (optional):	5 litres
Light source, halogen (optional):	150 VA, 15 V
Light source, LED (optional):	30 VA, 12 V
Total weight:	approx. 160 kg (depending on equipment)
Dimensions (WxHxD):	1,123 x 970 x 545 mm
Ambient temperature:	from +5° C to +35° C

Subject to technical modifications